

28/9/24

11271 727 石川 様

株式会社

LEVICOS HR

Sense&TRIX Co.,Ltd

647-38 Murakami, Yachiyo

Chiba Pre, JAPAN

Documentation Dec.8,2008

Renewal Jan.22,2015

1. Identification and Company Identification

Trade Name : LEVICOS HR
Chemical Name : Dipentaerythrite Fatty Acid Ester(1)
Manufacture : Sense&TRIX Co.,Ltd
647-38 Murakami, Yachiyo, Chiba Pre, Japan

2. Composition/Information on Ingredients

Chemical Name : Dipentaerythrite Fatty Acid Ester(1)
CAS No. : 208126-52-7
JSQI : II-925
INCI Name : Dipentaerythrityl Hexahydroxystearate/hexastearate/hexarosinate
% By Weight : 100%

3. Hazard Identification

Main Hazards : None

4. First Aid Measures

Inhalation : Nonvolatile in a general pressure and temperature.

Skin contact : Wash the affected area under running water using a mild soap. If Irritation persist, arrangement for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Eye contact : Gently rinse affected eyes, including under the eyelids, with a clean water for a least 15minites. Arrange for transport to the nearest medical facility for Examination and treatment by a physician as soon as possible.

Ingestion : Rinse mouth with water. If feasible, give the person one to two glass of water, try to get the victim to vomit by having the touch the back of their throat with finger, arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

LEVICOS HR

Sense&TRIX Co.,Ltd
647-38 Murakami, Yachiyo
Chiba Pre, JAPAN
Documentation Dec.8,2008
Renewal Jan.22,2015

5. Measure in Case of Fire

Recommended extinguishing media : Use dry chemical powder, form, dry sand or carbon dioxide.

Extinguishing media : No data

Special exposure hazard : None

Protection against fire : Firefighter should wear protective equipment, keep personal removed from and upwind of fire. Move containers from fire, if it can be done without risk, apply water from safe distance to cool and protect surrounding area.

6. Measure in Case of Accidental Spreading

After spillage or Leakage:

On Oil : Absorb spill with inert material (dry sand, sawdust, dust cloth) for disposal.

On Water : Prevent entry into sewer and waterway.

7. Handling and Storage

Technical Protective Measure

Handling : No special precaution is necessary.

Storage : Storage in tightly closed container.

8. Control exposure- Personal Protection

Special Measures of Protection : Needless

Respiratory Protection : None necessary

Skin Protection : Wear non-absorbent cloth

Eye Protection : Wear safety glasses

Hand Protection : Wear oil-resistant gloves

LEVICOS HR

Sense&TRIX Co.,Ltd
647-38 Murakami, Yachiyo
Chiba Pre, JAPAN
Documentation Dec.8,2008
Renewal Jan.22,2015

9. Physical and Chemical Data

Appearance	: Solid in paste form, buff yellow~yellow
Odor	: Characteristic Odor
pH Value	: No data
Boiling Data	: No data
Pour point	: No data
Flash Point	: cs.305
Ignition temperature	: No data
Auto-Ignition temperature	: No data
Explosion hazards	: No data
Vapor pressure	: No data
Solubility	: Insoluble in water

10. Stability and Reactivity

Condition to avoid	: None
Material to avoid	: Strong oxidizing agents and strong acid or base
Hazardous decomposition products	: None
Hazardous reactions	: None

11. Information on Toxicity

Ingestion	: No data
Dermal	: No data
Ocular	: No data
Inhalation	: No data

LEVICOS HR

Sense&TRIX Co.,Ltd
647-38 Murakami, Yachiyo
Chiba Pre, JAPAN
Documentation Dec.8,2008
Renewal Jan.22,2015

12.Information on Ecological Effect

Mobility : Not soluble in water
Degradability : Not applicable
Bio-Accumulation : Not applicable

13.Observation Related to Disposal

Disposal of wastes : Incinerate in accordance with local, State and Federal

14.Information About Transportation

Japan Proper Shipping Name :
Not classified as hazardous for transport

15.Regulatory Information

Fire Defense Law : Designated inflammables Flammable solids

16.Further Information

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Recipients of our product must take responsibility